

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 3/2/2021 Revision date: 3/2/2021 Supersedes version of: 11/5/2018 Version: 1.1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : Instant Gasket RTV Silicone

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional use

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

Simply Brands,  
Unit 04-05, 16th Floor,  
The Broadway No. 54-62 Lockhart Road,  
Wanchai, Hong Kong.

**1.4. Emergency telephone number**

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

EUH-statements : EUH208 - Contains 4,5-dichloro-2-octyl-4-isothiazolin-3-one. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

**2.3. Other hazards**

No additional information available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated middle; Gasoil—unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] substance with a Community workplace exposure limit (Note N)	(CAS-No.) 64742-46-7 (EC-No.) 265-148-2 (EC Index-No.) 649-221-00-X (REACH-no) 01-2119552497-29	> 10 - < 50	Asp. Tox. 1, H304
Ethyltriacetoxysilaan	(CAS-No.) 17689-77-9 (EC-No.) 241-677-4 (REACH-no) 01-2119881778-15	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
Oligomere ethyl- en methylacetoxysilanen		< 2,5	Skin Corr. 1B, H314 Eye Dam. 1, H318
4,5-dichloro-2-octyl-4-isothiazolin-3-one	(CAS-No.) 64359-81-5 (EC-No.) 264-843-8	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 (M=100)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Ethyltriacetoxysilaan	(CAS-No.) 17689-77-9 (EC-No.) 241-677-4 (REACH-no) 01-2119881778-15	( 5 ≤C < 100) Skin Corr. 1B, H314 ( 5 ≤C < 100) Eye Dam. 1, H318

Note N : The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
First-aid measures after skin contact	: After contact with skin, first remove product with a dry cloth and then wash the skin with plenty of water. In case of faintness or symptoms of skin irritation appear, take medical advice.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water.
First-aid measures after ingestion	: Do not induce vomiting. Give nothing or a little water to drink.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Carbon dioxide. Sand. extinguishing powder. Alcohol resistant foam.  
Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes. Hazardous combustion products.

### 5.3. Advice for firefighters

Precautionary measures fire : Evacuate unnecessary personnel.  
Protection during firefighting : Wear a self contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Do not breathe gas, fumes, vapour or spray. Spill area may be slippery.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Contain the spilled material by bunding.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Dispose of contaminated materials in accordance with current regulations. Sweep or shovel spills into appropriate container for disposal. Take up liquid spill into absorbent material, e.g.: sand, saw dust. Use suitable disposal containers. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Wash with soapy water.  
Other information : Remove all sources of ignition.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking. Cool down the containers exposed to heat with a water spray. Vapours may form explosive mixture with air.  
Precautions for safe handling : Ensure adequate air ventilation.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Protect from moisture. Keep container tightly closed in a cool place.

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Instant Gasket RTV Silicone	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	25 mg/m <sup>3</sup> Acetic acid (CAS 64-19-7)
IOEL TWA [ppm]	10 ppm Acetic acid (CAS 64-19-7)

Distillates (petroleum), hydrotreated middle; Gasoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] (64742-46-7)

EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	600 mg/m <sup>3</sup>

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

Eye protection:			
Type	Field of application	Characteristics	Standard
Safety glasses		With side shields	

##### 8.2.2.2. Skin protection

Skin and body protection:
Wear protective clothing

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection:					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	> 0,3		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)	> 0,1		EN ISO 374

### 8.2.2.3. Respiratory protection

Respiratory protection:			
No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation			
Device	Filter type	Condition	Standard
Full face mask	ABEK	If conc. in air > exposure limit	EN 136, EN 14387

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not allow to enter into surface water or drains.

#### Consumer exposure controls:

Do not breathe gas, fumes, vapour or spray. Do not eat, drink or smoke during work.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Pasty.
Colour	: According to product specification.
Odour	: acetic acid.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: Not applicable
Flash point	: Not required
Auto-ignition temperature	: ≈ 400 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: Not required
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 0.98 at 23 °C
Density	: ≈ 0.98 g/cm <sup>3</sup> at 23 °C
Solubility	: Water: practically insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: ≈ 816326.531 mm <sup>2</sup> /s
Viscosity, dynamic	: ≈ 800000 mPa·s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: acetic acid

### 9.2. Other information

VOC content	: < 10 g/l
-------------	------------

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

No dangerous reactions known under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Moisture. Heat. Open flame.

#### 10.5. Incompatible materials

Reacts with : alcohols. Bases. Water.

#### 10.6. Hazardous decomposition products

Acetic acid. Formaldehyde.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### Instant Gasket RTV Silicone

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2009 mg/kg

**Distillates (petroleum), hydrotreated middle; Gasoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] (64742-46-7)**

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5.2 mg/l/4h
LC50 Inhalation - Rat (Vapours)	> 5000 mg/l/4h

#### Ethyltriacetoxysilaan (17689-77-9)

LD50 oral rat	380 mg/kg
---------------	-----------

#### 4,5-dichloro-2-octyl-4-isothiazolin-3-one (64359-81-5)

LD50 oral rat	1636 mg/kg
LD50 dermal	1100 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0.26 mg/l/4h

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met. On basis of test data)

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Not irritating to rabbits on cutaneous application
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met. On basis of test data)
Additional information	: (OECD 437 method)
Respiratory or skin sensitisation	: No sensitizing reaction was observed for guinea pigs (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

### 4,5-dichloro-2-octyl-4-isothiazolin-3-one (64359-81-5)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

**Distillates (petroleum), hydrotreated middle; Gasoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] (64742-46-7)**

NOAEL (oral, rat, 90 days)	≥ 5000 mg/kg bodyweight/day
----------------------------	-----------------------------

### 4,5-dichloro-2-octyl-4-isothiazolin-3-one (64359-81-5)

LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight/day
----------------------------	--------------------------

NOAEL (subacute, oral, animal/male, 28 days)	20 mg/kg bodyweight
--	---------------------

Aspiration hazard : Not classified  
Additional information : Based on available data, the classification criteria are not met

### Instant Gasket RTV Silicone

Viscosity, kinematic	≈ 816326.531 mm <sup>2</sup> /s
----------------------	---------------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

### Instant Gasket RTV Silicone

LC50 - Fish [1]	10 – 100 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
EC50 - Crustacea [1]	10 – 100 mg/l daphnia
EC50 72h - Algae [1]	<i>Navicula Pelliculosa</i>
ErC50 algae	10 – 100 mg/l
NOEC chronic fish	> 1 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
NOEC chronic crustacea	> 1 mg/l daphnia
NOEC chronic algae	> 1 mg/l <i>Navicula Pelliculosa</i>

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**Distillates (petroleum), hydrotreated middle; Gasoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] (64742-46-7)**

LC50 - Fish [1]	> 1028 mg/l
EC50 - Crustacea [1]	> 3193 mg/l
EC50 72h - Algae [1]	> 10000 mg/l
ErC50 other aquatic plants	> 100 mg/l
NOEC chronic fish	> 1000 mg/l 28 days
NOEC chronic crustacea	5 mg/l 21 days

### Ethyltriacetoxysilane (17689-77-9)

LC50 - Fish [1]	251 mg/l (OECD 203 method)
EC50 - Crustacea [1]	62 mg/l (OECD 202 method)
EC50 72h - Algae [1]	> 100 mg/l (OECD 209 method)

### 4,5-dichloro-2-octyl-4-isothiazolin-3-one (64359-81-5)

LC50 - Fish [1]	0.0027 mg/l (OECD 203 method)
EC50 - Crustacea [1]	0.0052 mg/l (OECD 202 method)
EC50 72h - Algae [1]	0.0027 mg/l (OECD 201 method)
ErC50 algae	0.077 mg/l (OECD 201 method)
NOEC chronic fish	0.00056 mg/l Oncorhynchus mykiss (Rainbow trout)
NOEC chronic crustacea	0.00063 mg/l Daphnia magna
NOEC chronic algae	0.00034 mg/l Navicula pelliculosa

## 12.2. Persistence and degradability

### Instant Gasket RTV Silicone

Persistence and degradability	The product is not biodegradable.
-------------------------------	-----------------------------------

**Distillates (petroleum), hydrotreated middle; Gasoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] (64742-46-7)**

Persistence and degradability	Readily biodegradable.
Biodegradation	74 % (OECD 306 method)

### 4,5-dichloro-2-octyl-4-isothiazolin-3-one (64359-81-5)

Biodegradation	36h 50 % (OECD 308 method)
----------------	----------------------------

## 12.3. Bioaccumulative potential

### Instant Gasket RTV Silicone

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

### 4,5-dichloro-2-octyl-4-isothiazolin-3-one (64359-81-5)

Partition coefficient n-octanol/water (Log Pow)	2.8
---	-----



# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.4. Mobility in soil

#### Instant Gasket RTV Silicone

Mobility in soil	Polymer: Insoluble in water
------------------	-----------------------------

### 12.5. Results of PBT and vPvB assessment

#### Component

Distillates (petroleum), hydrotreated middle; Gasoil—unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).] (64742-46-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
---	---

### 12.6. Other adverse effects

Other adverse effects : None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Empty the packaging completely prior to disposal.
Product/Packaging disposal recommendations	: Reprocess or burn in an approved incinerator.

## SECTION 14: Transport information

In accordance with ADR

### ADR

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Transport regulations (ADR) : No dangerous good in sense of transport regulations.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3(b)	Distillates (petroleum), hydrotreated middle; Gasoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately; 205°C to 400°C (401 °F to 752 °F).]; Ethyltriacetoxysilaan ; Oligomere ethyl- en methylacetoxysilanen	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : < 10 g/l

Other information, restriction and prohibition regulations : Ensure all national/local regulations are observed.

##### 15.1.2. National regulations

AICS

EINECS/ELINCS

IECSC

PICCS

TSCA

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

### SECTION 16: Other information

#### Indication of changes:

Composition/information on ingredients.

#### Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
EC50	Median effective concentration
DNEL	Derived-No Effect Level
EC-No.	European Community number

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative

Data sources : ECHA (European Chemicals Agency). Supplier's safety documents. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

### Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Sens. 1A	Skin sensitisation, category 1A
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

# Instant Gasket RTV Silicone

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
EUH208	Contains 4,5-dichloro-2-octyl-4-isothiazolin-3-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.