

Page 1/9

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

GB

SECTION 1:	Identifica	tion of the substance/mixture and of the company/undertaking				
· 1.1 Product ider	ıtifier					
· Trade name: <u>SIMPLY® SPRAYS SILICONE SPRAY 400 ML</u>						
No further releve Sector of Use SU21 Consume SU22 Professio Product categor Process categor PROC7 Indust PROC11 Non i	ntified uses of ant informati er uses: Priva onal uses: Pu y PC24 Luk y rial spraying ndustrial spr	ate households / general public / consumers ublic domain (administration, education, entertainment, services, craftsmen) bricants, greases, release products				
 1.3 Details of th Manufacturer/S MOTIP DUPLI Wolfraamweg 2 NL- 8471 XC W The Netherlands Tel: +31 (0)561 Fax: +31 (0)561 e-mail: msds@n 	Supplier: B.V. olvega 694400 694411	f the safety data sheet .com				
• Further informa • 1.4 Emergency +31 (0)561-694	telephone nu					
UK: NPIS Natio	nal Poisons I	Information Centre Tel: +44 0344 892 0111				
SECTION 2:	Hazards i	dentification				
		stance or mixture				
	2 flame	Regulation (EC) No 1272/2008				
Aerosol 1	Н222-Н2	29 Extremely flammable aerosol. Pressurised container: May burst if heated.				
GHSU	9 environme	nt				
Aquatic Chronic	2 H411	Toxic to aquatic life with long lasting effects.				
GHSC)7					
Skin Irrit. 2	H315	Causes skin irritation.				
STOT SE 3	H336	May cause drowsiness or dizziness. (Contd. on page 2)				

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31


Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

GB

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML



SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

EC number: 927-510-4	Naphtha (petroleum), hydrotreated light	25-<50%
Reg.nr.: 01-2119475515-33	 Flam. Liq. 2, H225 Asp. Tox. 1, H304 	
	Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 74-98-6	propane	20-<25%
EINECS: 200-827-9	🚸 Flam. Gas 1A, H220	
Index number: 601-003-00-5	Press. Gas (Comp.), H280	
Reg.nr.: 01-2119486944-21		
CAS: 106-97-8	butane	12.5-<20%
<i>EINECS: 203-448-7</i>	Selam. Gas 1A, H220	
Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	Press. Gas (Comp.), H280	
CAS: 75-28-5	isobutane	12.5-<20%
EINECS: 200-857-2	🚸 Flam. Gas 1A, H220	
Index number: 601-004-00-0	Press. Gas (Comp.), H280	
Reg.nr.: 01-2119485395-27		
		(Contd. on page 3

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML

(Contd. of page 3)

Additional information ab	out design of technical facilities: No further data; see item 7.
-	fut design of technical factuties. No further data, see tiem 7.
8.1 Control parameters	
*	es that require monitoring at the workplace:
106-97-8 butane	10 / 2 750
WEL Short-term value: 18 Long-term value: 145	
	1% of buta-1.3-diene)
· · · · ·	ne lists valid during the making were used as basis.
·	
 8.2 Exposure controls Personal protective equipm 	nont.
General protective and hyg	
Keep away from foodstuffs,	
	led and contaminated clothing
Wash hands before breaks a	
Do not inhale gases / fumes	
Avoid contact with the skin.	
Avoid contact with the eyes	ana skin.
Respiratory protection:	
In case of brief	exposure or low pollution use respiratory filter device. In case of intensive or
	use self-contained respiratory protective device.
Filter A2/P3	
Protection of hands:	
Protective glove	S
Material of gloves	
Butyl rubber, BR The selection of the suitable	e gloves does not only depend on the material, but also on further marks of qua
and varies from manufactur	
Penetration time of glove n	
Butyl rubber gloves with a t	thickness of 0.4 mm are resistant to:
Acetone: 480 min	
Butyl acetate: 60 min	
Ethyl acetate: 170 min Xylene: 42 min	
	thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective
	at users and responsible persons for work safety assume solvent resistance leng
	the data in section 3 of this SDS, one can assume longer resistance length in
particular cases.	
Eye protection: Not require	ed.
SECTION 9: Physical	and chemical properties
9.1 Information on basic p	hysical and chemical properties
General Information	
Appearance:	
Form:	Aerosol
Colour:	Colourless
	(Contd. on pa

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML

	(Contd. of page 4
· Odour:	Solvent-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: Not applicable, as aerosol.
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>230 °C (>446 °F)
· Decomposition temperature:	Not determined.
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	0.9 Vol %
Upper:	10.9 Vol %
· Vapour pressure at 20 °C (68 °F):	3500 hPa (2625.2 mm Hg)
• Density at 20 •C (68 •F):	$0.6 \ g/cm^3 (5 \ lbs/gal)$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	92.0 %
VOC (EC)	
	584.5 g/l
· VOC-EU%	92.00 %
· Solids content:	0.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

*

*

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

14 06 03* other solvents and solvent mixtures 15 01 04 metallic packaging

· Uncleaned packaging:

- · Recommendation:

Disposal must be made according to official regulations.

Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN-Number UN1950 · ADR, IMDG, IATA (Contd. on page 7) GB

(Contd. of page 5)

Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

ade name: SIMPLY® SPRAYS SILICONE SPRA	AY 400 ML
	(Contd. of page (
· 14.2 UN proper shipping name · ADR · IMDG	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS (Naphtha (petroleum), hydrotreated light), MARINE POLLUTANT
· IATA	AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
· ADR	
· Class	2 5F Gases.
· Label	2.1
· Class · Label	2.1 2.1
·IATA	
· Class · Label	2.1 2.1
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	
· Marine pollutant:	Yes
· Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code 	Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear
• Segregation Code	of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
• 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.

(Contd. on page 8) GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML

	(Contd. of page
Transport/Additional information:	
ADR	
\cdot Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY
-	HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: R&D legislation and regulatory advisor

(Contd. on page 9)

GB

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.11.2020

Version number 156

Revision: 17.12.2019

Trade name: SIMPLY® SPRAYS SILICONE SPRAY 400 ML

	(Contd. of page 8)
· Contact: msds@nl.motipdupli.com	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations	s Concerning the
International Transport of Dangerous Goods by Rail)	, concerning ine
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning	the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1A: Flammable gases – Category 1A	
Aerosol 1: Aerosols – Category 1	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Flam. Liq. 2: Flammable liquids – Category 2	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
$\cdot *$ Data compared to the previous version altered.	
	GB